



01

R10591




GOLD WEIGHT	SETTING TYP.	DIA /COL	ST. Shape	MM SIZE	SIEVE SIZE	AVRG WT	PCS	CT WT	T.PCS	t.dIA wt
4.3 gm (14kt)	PRONG	WH	RD	1.50	4.5-5	0.015	20	0.30	33	3.72
	PRONG	WH	RD	2.00	7.5-8	0.035	12	0.42		
	PRONG	WH	RD	9.10	#N/A	3.000	1	3.00		

R10592




GOLD WEIGHT	SETTING TYP.	DIA /COL	ST. Shape	MM SIZE	SIEVE SIZE	AVRG WT	PCS	CT WT	T.PCS	t.dIA wt
3.0GM(14KT)	PRONG	WH	PRINCESS	1.75	#N/A	0.030	13	0.39	14	2.39
	PRONG	WH	RD	8.00	#N/A	2.000	1	2.00		

R10593

GOLD WEIGHT	SETTING TYP.	DIA /COL	ST. Shape	MM SIZE	SIEVE SIZE	AVRG WT	PCS	CT WT	T.PCS	t.dIA wt
3.3 GM (14KT)	PRONG	WH	PRINCESS	1.50	4.5-5	0.015	4	0.06	15	3.36
	PRONG	WH	EM	9.3*7.5	#N/A	3.000	1	3.00		
	PRONG	WH	BG	2.3*1.5	#N/A	0.030	10	0.30		

R10594


04



GOLD WEIGHT	SETTING TYP.	DIA /COL	ST. Shape	MM SIZE	SIEVE SIZE	AVRG WT	PCS	CT WT	T.PCS	t.dia wt
3.0 GM(14KT)	PRONG	WH	RD	0.90	000-00	0.004	24	0.10	135	3.03
	PRONG	WH	RD	1.00	00-0	0.005	18	0.09		
	PRONG	WH	RD	1.30	2.5-3	0.010	30	0.30		
	PRONG	WH	RD	0.80	0000-000	0.003	2	0.01		
	PRONG	WH	RD	1.25	2-2.5	0.009	60	0.54		
	PRONG	WH	OVEL	9.0*7.0	#N/A	2.000	1	2.00		

R10595


05



GOLD WEIGHT	SETTING TYP.	DIA /COL	ST. Shape	MM SIZE	SIEVE SIZE	AVRG WT	PCS	CT WT	T.PCS	t.dia wt
3.0 GM(14KT)	PRONG	WH	RD	0.90	000-00	0.004	20	0.08	57	2.49
	PRONG	WH	RD	0.80	0000-000	0.003	8	0.02		
	PRONG	WH	RD	1.00	00-0	0.005	4	0.02		
	PRONG	WH	RD	1.10	0-1	0.006	8	0.05		
	PRONG	WH	RD	1.70	6-6.5	0.020	16	0.32		
	PRONG	WH	RD	6.00	#N/A	2.000	1	2.00		

R10596


06



GOLD WEIGHT	SETTING TYP.	DIA /COL	ST. Shape	MM SIZE	SIEVE SIZE	AVRG WT	PCS	CT WT	T.PCS	t.dia wt
3.8 GM(14KT)	PRONG	WH	RD	1.30	2.5-3	0.010	8	0.08	29	2.92
	PRONG	WH	RD	1.00	00-0	0.005	2	0.01		
	PRONG	WH	RD	1.50	4.5-5	0.015	2	0.03		
	PRONG	WH	RD	1.90	7-7.5	0.030	4	0.12		
	PRONG	WH	RD	2.20	8.5-9	0.045	2	0.09		
	PRONG	WH	RD	2.30	9-9.5	0.050	2	0.10		
	PRONG	WH	RD	2.50	10-10.5	0.070	2	0.14		
	PRONG	WH	RD	2.60	10.5-11	0.075	2	0.15		
	PRONG	WH	RD	2.40	9.5-10	0.060	2	0.12		
	PRONG	WH	RD	2.10	8-8.5	0.040	2	0.08		
	PRONG	WH	RD	8.00	#N/A	2.000	1	2.00		

07


R10597



GOLD WEIGHT	SETTING TYP.	DIA /COL	ST. Shape	MM SIZE	SIEVE SIZE	AVRG WT	PCS	CT WT	T.PCS	t.dIA wt
3.8GM (14 KT)	PRONG	WH	RD	1.20	1.5-2	0.008	20	0.16	21	2.16
	PRONG	WH	RD	8.00	#N/A	2.000	1	2.00		

R10598


08



GOLD WEIGHT	SETTING TYP.	DIA /COL	ST. Shape	MM SIZE	SIEVE SIZE	AVRG WT	PCS	CT WT	T.PCS	t.dIA wt
4.5 GM (14KT)	PRONG	WH	RD	8.70	#N/A	2.500	1	2.50	46	3.33
	PRONG	WH	RD	2.00	7.5-8	0.035	12	0.42		
	PRONG	WH	RD	1.60	5.5-6	0.018	10	0.18		
	PRONG	WH	RD	1.30	2.5-3	0.010	23	0.23		

R10599


09



GOLD WEIGHT	SETTING TYP.	DIA /COL	ST. Shape	MM SIZE	SIEVE SIZE	AVRG WT	PCS	CT WT	T.PCS	t.dia wt
4.5 GM (14 KT)	PRONG	WH	RD	3.80	1/5	0.220	2	0.44	149	5.03
	PRONG	WH	RD	3.10	13-13.5	0.115	2	0.23		
	PRONG	WH	RD	2.90	12-12.5	0.100	2	0.20		
	PRONG	WH	RD	2.50	10-10.5	0.070	2	0.14		
	PRONG	WH	RD	1.20	1.5-2	0.008	78	0.62		
	PRONG	WH	RD	1.10	0-1	0.006	4	0.02		
	PRONG	WH	RD	1.15	1-1.5	0.007	24	0.17		
	PRONG	WH	RD	1.25	2-2.5	0.009	14	0.13		
	PRONG	WH	RD	0.90	000-00	0.004	20	0.08		
	PRONG	WH	EM	9.3*7.5	#N/A	3.000	1	3.00		

R10600


C2404124S



Approx gold wt - 3.52 GMS (14K)


SETTING TYP.	DIA /COL	ST. Shape	MM SIZE	SIEVE SIZE	AVRG WT	PCS	CT WT	T.PCS	t.dIA wt
MICRO SPLIT	WH	RD	1.15	1-1.5	0.007	22	0.15	51	2.47
PRONG	WH	RD	1.15	1-1.5	0.007	6	0.04		
MICRO SPLIT	WH	RD	1.80	6.5-7	0.025	22	0.55		
SEAMLESS HALO	WH	RD	7.69	#N/A	1.720	1	1.72		

R10616




GOLD WEIGHT	SETTING TYP.	DIA /COL	ST. Shape	MM SIZE	SIEVE SIZE	AVRG WT	PCS	CT WT	T.PCS	t.dia wt
3.0 GM(14KT)	PRONG	WH	RD	1.20	6-6.5	0.020	22	0.44	104	3.96
	PRONG	WH	RD	1.20	1.5-2	0.008	26	0.21		
	PRONG	WH	RD	1.15	1-1.5	0.007	28	0.20		
	PRONG	WH	RD	1.10	0-1	0.006	2	0.01		
	PRONG	WH	RD	0.80	2000-2000	0.003	16	0.05		
	PRONG	WH	RD	0.90	000-00	0.004	8	0.03		
	PRONG	WH	RD	2.20	8.5-9	0.045	1	0.05		
	PRONG	WH	EM	9.3x7.5	#N/A	3.000	1	3.00		

R10617




GOLD WEIGHT	SETTING TYP.	DIA /COL	ST. Shape	MM SIZE	SIEVE SIZE	AVRG WT	PCS	CT WT	T.PCS	t.dIA wt
5.2 GM(14 KT)	PRONG	WH	RD	8.00	#N/A	2.000	1	2.00	9	3.24
	PRONG	WH	RD	3.00	12.5-13	0.110	4	0.44		
	PRONG	WH	EM	4*3	#N/A	0.200	4	0.80		

R10618




GOLD WEIGHT	SETTING TYP.	DIA /COL	ST. Shape	MM SIZE	SIEVE SIZE	AVRG WT	PCS	CT WT	T.PCS	I.dia wt
3.2 GM(14KT)	PRONG	WH	RD	1.60	5.5-6	0.018	2	0.04	33	2.96
	PRONG	WH	RD	2.70	11-11.5	0.080	10	0.80		
	PRONG	WH	RD	1.10	0-1	0.006	20	0.12		
	PRONG	WH	OVEL	9*7	#N/A	2.000	1	2.00		

R10619




GOLD WEIGHT	SETTING TYP.	DIA /COL	ST. Shape	MM SIZE	SIEVE SIZE	AVRG WT	PCS	CT WT	T.PCS	t.dIA wt
3.0 GM(14KT)	PRONG	WH	RD	1.30	2.5-3	0.010	14	0.14	115	2.83
	PRONG	WH	RD	1.20	1.5-2	0.008	46	0.37		
	PRONG	WH	RD	1.10	0-1	0.006	54	0.32		
	PRONG	WH	OVEL	9.0*7.0	#N/A	2.000	1	2.00		

BRIDAL-9

R10620

GOLD WEIGHT	SETTING TYP.	DIA /COL	ST. Shape	MM SIZE	SIEVE SIZE	AVRG WT	PCS	CT WT	T.PCS	t.dia wt
4.0 GM(14 KT)	PRONG	WH	RD	1.70	6-6.5	0.020	2	0.04	29	3.15
	PRONG	WH	RD	2.20	8.5-9	0.045	12	0.54		
	PRONG	WH	RD	1.00	00-0	0.005	14	0.07		
	PRONG	WH	OVAL	10 X 8	#N/A	2.500	1	2.50		


R10621



GOLD WEIGHT	SETTING	DIA	ST.	MM SIZE	SIEVE	AVRG	PCS	CT WT	T.PCS	L.dIA wt
	TYP	/COL	Shape		SIZE	WT				
4.3 MM	FRONG	WH	RD	2.00	7.5-8	0.035	28	0.98	77	3.40
	FRONG	WH	RD	1.10	0-1	0.004	12	0.07		
	FRONG	WH	RD	1.15	1-1.5	0.007	8	0.04		
	FRONG	WH	RD	1.30	5.5-3	0.010	20	0.20		
	FRONG	WH	RD	1.40	5.5-4	0.011	8	0.09		
	FRONG	WH	RD	8.00	#N/A	2.000	1	2.00		

R10624


01



GOLD WEIGHT	SETTING TYP.	DIA /COL	ST. Shape	MM SIZE	SIEVE SIZE	AVRG WT	PCS	CT WT	T.PCS	t.dia wt
3.3 GM(14KT)	PRONG	WH	RD	1.50	4.5-5	0.015	16	0.24	26	3.32
	PRONG	WH	RD	1.30	2.5-3	0.010	4	0.04		
	PRONG	WH	RD	1.10	0-1	0.006	4	0.02		
	PRONG	WH	RD	1.60	5.5-6	0.018	1	0.02		
	PRONG	WH	oval	12.0*8.0	#N/A	3.000	1	3.00		

R10625

02




GOLD WEIGHT	SETTING TYP.	DIA /COL	ST. Shape	MM SIZE	SIEVE SIZE	AVRG WT	PCS	CT WT	T.PCS	t.dIA wt
4.2 GM(14KT)	PRONG	WH	RD	1.15	1-1.5	0.007	48	0.34	50	2.85
	PRONG	WH	RD	1.60	5.5-6	0.018	1	0.02		
	PRONG	WH	EM	9.0*7.0	#N/A	2.500	1	2.50		

R10626

03

9.5 MM



GOLD WEIGHT	SETTING TYP.	DIA /CGL	ST. Shape	MM SIZE	SIEVE SIZE	AVRG WT	PCS	CT WT	T.PCS	t.dia wt
3.5 GM (14 KT)	PRONG	WH	RD	0.90	000-00	0.004	52	0.21	67	3.70
	PRONG	WH	RD	2.00	7.5-8	0.035	14	0.49		
	PRONG	WH	EM	9.3*7.5	#N/A	3.000	1	3.00		

04



GOLD WEIGHT	SETTING TYP.	DIA /COL	ST. Shape	MM SIZE	SIEVE SIZE	AVRG WT	PCS	CT WT	T.PCS	t.d./A wt
7.2 GM (14KT)	PRONG	WH	RD	11.00	#N/A	5.000	1	5.00	55	8.65
	PRONG	WH	RD	2.70	11-11.5	0.080	15	1.20		
	PRONG	WH	RD	2.30	9-9.5	0.050	9	0.45		
	PRONG	WH	RD	2.20	8.5-9	0.045	9	0.41		
	PRONG	WH	RD	2.10	8-8.5	0.040	3	0.12		
	PRONG	WH	RD	2.50	10-10.5	0.070	9	0.63		
	PRONG	WH	RD	2.90	12-12.5	0.100	3	0.30		
	PRONG	WH	RD	2.80	11.5-12	0.090	6	0.54		