

E10254									
									
2.90 mm 17.35 mm 6.80 mm REFERENCE IMAGE									
Approx gold wt - 2.48 GMS (14K)									
SETTING TYP.	DIA /COL	ST. Shape	MM SIZE	SIEVE SIZE	AVRG WT	PCS	CT WT	T.PCS	t.dIA wt
PRONG	WH	RD	1.70	6-6.5	0.020	4	0.08	14	0.52
PRONG	WH	RD	2.00	7.5-8	0.035	4	0.14		
PRONG	WH	RD	2.20	8.5-9	0.045	4	0.18		
PRONG	WH	RD	2.40	9.5-10	0.060	2	0.12		

E10255




REFERENCE IMAGE

Approx gold wt - 2.70 GMS (14K)

SETTING TYP.	DIA /COL	ST. Shape	MM SIZE	SIEVE SIZE	AVRG WT	PCS	CT WT	T.PCS	t.dIA wt
MICRO SPLIT	WH	RD	1.50	4.5-5	0.015	20	0.30	22	1.00
PRONG	WH	OVAL	5.00 x 4.00	#N/A	0.350	2	0.70		

E10256



Approx gold wt - 3.11GSM (14K)

SETTING TYP.	DIA /COL	ST. Shape	MM SIZE	SIEVE SIZE	AVRG WT	PCS	CT WT	T.PCS	t.dIA wt
micro split	WH	RD	1.40	3.5-4	0.011	16	0.18	26	0.50
PRONG	WH	RD	2.40	9.5-10	0.060	2	0.12		
PRONG	WH	RD	1.90	7-7.5	0.030	4	0.12		
PRONG	WH	RD	1.70	6-6.5	0.020	4	0.08		

E10257



Approx gold wt - 3.44 GSM (14K)

SETTING TYP.	DIA /COL	ST. Shape	MM SIZE	SIEVE SIZE	AVRG WT	PCS	CT WT	T.PCS	t.dia wt
PRONG	WH	RD	2.40	9.5-10	0.060	10	0.60	50	1.02
MICRO SPLIT	WH	RD	1.35	3-3.5	0.011	40	0.42		